



PPX EXCHANGE

Vol. 2 Number 4 Copyright 1978

July 1978

PPX is doing it again! Until September 30, while supplies last, SR-52 Games Libraries will be available for the unbelievable low price of \$14.95. (Suggested retail price is \$29.95.) Limit is 1 Library per member. And that's not all... 3-roll packages of PC-100(A) thermal paper will be sold for \$7.20 each. This is a \$3 savings compared to the suggested retail price of \$10.20 per 3-roll package. Limit is 3 packages per member. To order, simply use a blank order form and enclose your check or money order. All thermal paper orders received after August 1 (before knowledge of the sale) will be filled at the sale price and a \$3 credit in the form of 1 Complimentary Program will be given. Orders not remitting proper taxes and handling charges will be returned unfilled to the sender.

PPX POTPOURRI

1. The month of July brings the release of two software catalogs — the PPX-59 Software Catalog and the PPX-52 Software Addendum. The PPX-59 Catalog contains approximately 350 new abstracts of programs, bringing the total program offering of PPX-59 to over 600 programs. After two years, PPX-52 boasts of over 1700 programs, with approximately 175 new programs featured in the July Addendum.

2. The PPX-52 July Addendum marks the close of SR-52 program submissions. Orders for programs featured in past catalogs and Addendums will continue to be filled.

3. **If you are a PPX-52 member whose membership number is greater than 108778, you need not renew your membership.** You are already entitled to newsletters through the end of 1978 and continued ordering privileges.

4. On the same note... PPX-59 members need not worry about membership renewal until an announcement is made in a future issue of the PPX **Exc**hange.

5. Return to sender... Lack of **current addresses** continues to plague PPX service. Please let PPX know your new address as soon as possible to insure the best possible service.

6. Speaking about the mail... It has come to our attention that PPX-59 order forms are being sent back to some of our members instead of being sent to PPX. To avoid this situation, please put the word FROM next to the return address label on your order form.

7. New members... Your "3 Introductory Programs" order form is to be used for **individual** programs. It cannot be used as credit towards a Pakette (or any other supplies). All such orders will be returned unfilled to the sender.

8. The question has been raised concerning the purpose of the Professional Category Table. The table was set up as a guideline for possible areas of program development and does not imply that there are programs in every category. With the addition of the PPX-59 July Catalog, PPX-59 offers programs in 73 categories. PPX **Exc**hange's newest column, "The Programming Corner" (beginning this issue), is presented in an effort to encourage program submissions in all 99 categories.

TI-59, THE FIRST CALCULATOR WITH A "TRUE" MEMORY

Donald R. Lambert

The concept of memory in programmable calculators can be likened to a box. One can place a number in it (store), look at its contents (recall), increase or decrease its contents (register arithmetic), and so on. Some calculators have the ability to hold the contents of the box intact when turned off (continuous memory), but no calculator could actually remember what had been in the box (memory) after the contents were changed.

That is, no calculator had "true" memory until the TI-59 was introduced in 1977! Under certain circumstances the TI-59 will remember what was in its program memory for a limited time after it has been replaced (overwritten) by a new program.

The discovery of this remarkable feature of the TI-59 came purely by accident. I was working on a long stock market data-processing application for one of my clients that required a combination of steps and memories beyond the capacity of the TI-59 in any partition, so I decided to split the program into several parts. Since the end user of the program was not familiar with the calculator, it seemed best to have all but the first part of the program loaded into the machine under program control. Therefore, I programmed the following sequence into bank #2 of the first part of the program: *Lbl, SBR, 1, INV, *Write, RST. Execution of this sequence caused the overwriting of bank #1 and the resetting of the program counter to location 000. During the evolution of my program, the above sequence of steps were accidentally shifted into bank #1 of the program. The program still ran! Although the RST instruction was overwritten by an entirely different keystroke, it was executed.

I began checking this capability out. My experiments with the TI-59 indicate that program steps are called from main program memory in blocks of eight steps and stored in a "buffer" (temporary) memory pending execution. After a block of eight steps is executed, the next block is called, and so on.

In my particular program, INV *Write shared the same

block as RST. Although RST had been replaced in program memory by the execution of INV *Write, it was still in the "buffer" awaiting execution.

Further work with the TI-59 showed that when a bank overwrites itself, up to seven steps (the first step being Write) may remain in the buffer to be executed. These steps will be executed provided that a transfer (conditional or unconditional) to another part of the program is not effected. When a subroutine is called, the return will be to the next step in the new program not to the next step stored in the buffer.

To illustrate the above, try the following: Record a completely blank bank #1 on a card, then press GTO 116 LRN *Lbl A 1 INV *Write 1 2 3 INV SBR 4 5 INV SBR LRN. Now Press A, insert the blank card (the INV *Write will execute) and you'll see "123" in the display. Press R/S, you'll see "45" in the display. Now press LRN and backstep through program memory. It is completely blank. That was "true" memory in operation!

PPX-59 PROGRAMMING CORNER

This column is devoted to PPX-59 programming suggestions. If you have a program(s) that you would like to see made available through PPX-59, send your suggestion(s) to PPX. In this way, members who enjoy programming are made aware of your program needs. PPX-59 is not staffed to do custom programming; therefore, member suggested programs will become available only if another member of PPX-59 comes to the rescue.

Our members would like to see:

- Personal Income Tax programs.
- A program to calculate yield of a wrap-around mortgage.
- Programs dealing with Insurance and Estate Planning and in particular a program that will compute the true cost of an insurance policy.
- Civil Engineering programs dealing with hydraulics and sanitary engineering subjects.
- Seismology programs and in particular a program that will do an interpretation of a sonic log.

Editor's Note: In the last issue of the PPX Exchange, we requested that our members notify us about their program needs. Program requests were sent, however many did not offer enough detail. In order for your needs to be filled, other members need to know what specific problem you would like solved (not what areas you would like to see developed).

SOLUTION TO GONE

The solution to "GONE" (PPX Exchange, May 1978) is based on the sequence: RCL 00 + STO 60 1 = (negative number stored in register 00). Execution of this sequence will reset the calculator (i.e., wipe it out). If you check through the keycode in "GONE", you will not be able to find this sequence. Mr. Pangburn has cleverly programmed the calculator to modify the code so that the sequence is eventually placed into steps 111 through 119 and executed.

THE SR-52 AND SELF MODIFICATION OF CODE

Lawrence R. Pangburn

Editor's Note: The following article is presented to explain the process of self-modifying code used in the program "GONE" (published in PPX Exchange, May 1978). The principle behind self modification can be applied to the TI-59 as well. Page VII-1 of the Personal Programming Manual shows the relationship of registers to programming steps. However, in order to modify TI-59 code in a register, the program must repartition itself to access that register.

One of the interesting features of the SR-52 is that you can design a program that will modify itself during execution. This is possible because the program code is in accessible registers (which can be used exactly like data registers). Eight program steps are located in each of the program registers numbered 70 through 97. The first eight steps are in register 70, the second eight steps are in register 71, and so on.

Before we proceed, there are a few points that must be clarified. The display register contains 2 signs, a 2-digit exponent, and either a 12 or 13-digit mantissa (depending upon which model of the SR-52 you have). To check if your calculator's display register has a 12 or 13 digit mantissa, key in the following sequence (out of learn mode): 3, *1/x, -, 3, *1/x, =. If the displayed answer is zero, your calculator has a 12-digit mantissa.

Although the display register has a 12 or 13-digit mantissa, only 10 of the digits can appear on the calculator's display. For this reason, to view the full content of your display register it is necessary to move the contents to your calculator's display in two moves.

To proceed . . . in learn mode, key in the program code shown in Figure 1. Now observe the program code stored in register 70 by pressing RCL 70. The number in your display represents the program code in the last four steps of register 70. See Figure 2. Next, we will look at the program code in the first four steps of register 70. In order to see these steps we must use a trick to bring the remaining contents of the display register into the 10-digit calculator display. The method is:

CLR 1 + STO 60 RCL 70 =

The number in the display represents the program code in the first four steps of register 70 (See Figure 2). Two things must be mentioned about this representation.

- The second code digit of step number 1 depends upon the combination of the arithmetic signs of the mantissa and the exponent (See Figure 3).
- For 12-digit calculators, there will always be a zero in the left digit position of step number 2 (Internally the calculator knows what to execute).

Before we demonstrate arithmetic modification of code, we will set up the data registers for LBL A (in Figure 1). This is accomplished by pressing 50 STO 01 20 STO 02. Now, press A and observe that the result happens to be 120. We are ready to modify the code in LBL A. First, perform the following out of LRN mode: 1 EE 14 +/- SUM 70 INV EE. This operation changes code 85 to 75 at program location 007, (i. e. it changes the "+" to a "-" by arithmetically modifying the number (code) in register 70). The result may be verified by going to LRN mode and observing the program code in locations 000 through 007. The effect may be directly

TI ANNOUNCEMENT

• Texas Instruments' has released a new TI-59 Library, Business Decisions, designed to help today's businessman by providing aids to more accurate market forecasting, improved inventory utilization, and estimation of financing requirements. Programs in the Library include: Long Term Financing Requirements; Short Term Financing Requirements; Planning and Budgeting; Breakeven Analysis; Investment Evaluation; Economic Reordering and Production Runs; Reorder Timing; Facility Scheduling; Assembly Line Balancing; Demand Forecasting; and Facility Capacity. The Business Decisions Library may be ordered through PPX for \$35.00 plus tax and handling.

FROM THE ANALYST'S DESK

• Two PPX-59 programs have been rewritten due to errors in previous versions. If you have purchased "Tic Tac Toe" (PPX-59 #918016) or "Baseball" (PPX-59 #918012), please send your copy in for a replacement.

• If you have purchased "Biorhythms" (PPX-59 #918908), please make the following changes to your program listing. Steps 262 through 269 and step 454 should read:

262	71	SBR	267	97	DSZ
263	43	RCL	268	09	09
264	68	NOP	269	02	02
265	68	NOP	454	49	49
266	22	INV			

• Our latest, July 1978, PPX-59 Catalog features many inventive and versatile programs. A few of these programs caught the fancy of the analysts but are by no means the only programs worthy of note.

"Perspective, 3D Option- Illustrator's Aid" (PPX-59 #698004) by Morton P. Matthew allows the user to produce perspective views of up to 25 x, y, z points by printing the x, z points on the visual plane. Multiple views and a variable degree of depth effect can be accomplished without re-entry of the x, y, z coordinates. PC-100(A) required.

"Critical Path Method (CPM)" (PPX-59 #098006) by Michael Shanok is a network schedule planning program applicable to any type of project planning. Events which follow the critical path are those which have zero float (number of extra days) and must be completed before another activity can begin. This program is used to assign start and finish dates, days to complete and float for a network schedule. Mod 1 and PC-100(A) required.

"Poem Machine" (PPX-59 #918030) by William G. Bryson was voted the funniest program by PPX Analysts. It will crack a smile on the face of even the most serious of programmers. The "Poems" printed are grammatically correct random sentences using user-supplied nouns, verbs, pronouns, and adjectives. A great program to have running during a party.

• PPX was notified of three limitations to the Hierarchy operation (PPX Exchange, May 1978) by Mr. Lawrence Pangburn of Hauppauge, New York. The limitations are:

1. If an arithmetic operation (Sum, Prd, Inv Sum, Inv Prd) is performed into a pending operations register using a number less than 1 (one), the number must be in EE format in order to obtain correct results.

2. If any operation (Sto, Sum, Prd, Inv Sum, Inv Prd) is

performed into a pending operations register that is holding a subtraction (e.g., it was established via 25 -) the operation will be changed to addition. A register holding addition is unchanged (it is still addition) by operations into the register.

3. If any operation (Sto, Sum, Prd, Inv Sum, Inv Prd) is performed into a pending operations register that is holding a division (e.g., it was established via 25 ÷) the operation will be changed to multiplication. A register holding multiplication will perform correctly after operations into the register.

• Mohamed Sherif Tawfik shares the following: A disadvantage of Program 18 in the Applied Statistics Library is the limitation on the number of sets of data that can be entered. Unlimited data entry is possible with the following modifications. Store these modifications on a magnetic card. Instead of calling Program 05 to enter data, enter the magnetic card then proceed with data entry according to the instructions in the manual.

Modification of Multiple Regression Program

000	76	LBL	017	03	03	034	54)	051	26	26
001	10	E [*]	018	91	R/S	035	44	SUM	052	54)
002	47	CMS	019	76	LBL	036	06	06	053	44	SUM
003	91	R/S	020	12	B	037	43	RCL	054	11	11
004	76	LBL	021	42	STD	038	03	03	055	53	(
005	11	R	022	24	24	039	91	R/S	056	43	RCL
006	42	STD	023	44	SUM	040	76	LBL	057	24	24
007	25	25	024	01	01	041	13	C	058	65	x
008	44	SUM	025	33	X ²	042	42	STD	059	43	RCL
009	04	04	026	44	SUM	043	26	26	060	26	26
010	33	X ²	027	02	02	044	44	SUM	061	54)
011	44	SUM	028	53	(045	07	07	062	44	SUM
012	05	05	029	43	RCL	046	53	(063	12	12
013	01	1	030	24	24	047	43	RCL	064	43	RCL
014	44	SUM	031	65	x	048	25	25	065	03	03
015	03	03	032	43	RCL	049	65	x	066	91	R/S
016	43	RCL	033	25	25	050	43	RCL			

(LIMITATION: R² cannot be calculated).

Modification of Nonlinear Regression Program

000	76	LBL	018	42	STD	036	25	25	054	26	26
001	10	E [*]	019	25	25	037	33	X ²	055	54)
002	47	CMS	020	44	SUM	038	44	SUM	056	44	SUM
003	91	R/S	021	05	05	039	02	02	057	11	11
004	76	LBL	022	43	RCL	040	43	RCL	058	53	(
005	11	R	023	05	05	041	03	03	059	43	RCL
006	42	STD	024	42	STD	042	91	R/S	060	25	25
007	24	24	025	01	01	043	76	LBL	061	65	x
008	44	SUM	026	53	(044	13	C	062	43	RCL
009	04	04	027	43	RCL	045	42	STD	063	26	26
010	01	1	028	24	24	046	26	26	064	54)
011	44	SUM	029	65	x	047	44	SUM	065	44	SUM
012	03	03	030	43	RCL	048	07	07	066	12	12
013	43	RCL	031	25	25	049	53	(067	43	RCL
014	03	03	032	54)	050	43	RCL	068	03	03
015	91	R/S	033	44	SUM	051	24	24	069	91	R/S
016	76	LBL	034	06	06	052	65	x			
017	12	B	035	43	RCL	053	43	RCL			

(LIMITATION: R² cannot be calculated).

The PPX Exchange is published every other month and is the only newsletter published by Texas Instruments for SR-52 and TI-59 owners. You are invited to submit items you feel are of general interest to other SR-52 or TI-59 users. Inputs should be limited to 3 double-spaced typed pages. Please forward your newsletter inputs and any questions to:

TEXAS INSTRUMENTS PPX
P. O. Box 53
Lubbock, TX 79408

Copyright © 1978. By Texas Instruments Incorporated

$91 - [] = 38$ $7 \times 25 = 175$ 50 64 $6 + 53 = 59$ $90 - 30 = 60$
 $30 - 7 = 23$ 30 **ARITHMETIC TUTOR** $48 + 29 = []$
 $9 - 4 = 5$ 29 $28 + 75 = []$

The following two programs are presented as educational tools for children. Through the use of these programs, children will be able to better their math skills and at the same time add enjoyment to the learning experience. A joint effort between the parent and child is necessary only in the beginning. Once the child has been shown how the program works, he can operate the calculator on his own. A pad of paper and pencil will be necessary as the child must write the problem down to solve it.

PPX wishes to thank the author of the SR-52 program, Dennis White, and the author of the TI-59 program, Chris Wegehenkel, for their excellent programs.

DESCRIPTION (SR-52): This program generates a user-determined number of different problems for a pupil to solve. This problem is presented in the format XX.YY (where XX is the first number and YY is the second number to be operated on). The user specifies the maximum value that either XX or YY can assume. If an answer is incorrectly given, the problem will be repeated. When all the problems have been answered, the SR-52 displays the percentage of correct answers. All answers are positive integers.

USER INSTRUCTIONS (SR-52)

1. Enter program.
2. Enter a seed number, 0 to 1, press C'.
3. Enter maximum value of numbers to be generated (0<max<100), press B'. The difficulty of problems generated is dependent upon the maximum value assigned to the numbers. If a default value of 12 is desired then skip this step.
4. Enter number of problems desired. Choose the operation to be performed. Press B for addition, C for

- subtraction, D for multiplication, and E for division. Two numbers will be generated in the format XX.YY (where XX is the first number and YY is the second number to be operated on).
5. Enter answer and press A.
6. If answer is correct, a new problem is generated. Repeat Step 5.
7. If answer is incorrect, the problem is again displayed, preceded by a minus sign. Repeat Step 5.
8. After the specified number of problems have been correctly answered, the percentage of correct answers is displayed (incorrectly answered problems are counted in the base upon which this percentage is figured).
9. Repeat Step 3 or 4.

NOTE: If you enter an answer into the display and wish to again view the problem (assuming A has not been pressed yet), press A'.

EXAMPLE (SR-52): Initialize using a seed of .625. Set the maximum number size to 50. Then generate 5 addition problems and 3 multiplication problems.

Enter	Press	Display	Comments
.625	C'	12.	Enter seed
50	B'	50.	Enter maximum value of numbers
5	B	44.11	Enter # problems and operation
55	A	25.25	Correct, next problem
225	A	-25.25	Incorrect, try again
50	A	42.21	Correct, next problem
63	A	32.19	Correct, next problem
41	A	-32.19	Incorrect, try again
51	A	30.38	Correct, last problem
68	A	71.4	Percent correct
3	D	34.31	Enter # problems and operation
954	A	-34.31	Incorrect, try again
1054	A	28.32	Correct, next problem
896	A	24.10	Correct, next problem
240	A	75.0	Percent correct

SR-52 LISTING

000	44	SUM	024	02	2	048	95	=	072	44	SUM	096	65	×	120	01	1	144	42	STD	168	88	2'	192	75	-
001	00	0	025	46	LBL	049	42	STD	073	00	0	097	93	.	121	44	SUM	145	00	0	169	46	LBL	193	43	RCL
002	02	2	026	19	D'	050	09	9	074	00	0	098	00	0	122	00	0	146	00	0	170	17	B'	194	00	0
003	56	RTN	027	25	CLR	051	08	8	075	46	LBL	099	01	1	123	05	5	147	04	4	171	42	STD	195	05	5
004	44	SUM	028	04	4	052	65	×	076	89	3'	100	95	=	124	44	SUM	148	41	GTO	172	09	9	196	95	=
005	00	0	029	85	+	053	43	RCL	077	22	INV	101	44	SUM	125	00	0	149	88	2'	173	09	9	197	55	÷
006	01	1	030	43	RCL	054	09	9	078	58	DSZ	102	00	0	126	04	4	150	46	LBL	174	56	RTN	198	43	RCL
007	56	RTN	031	09	9	055	09	9	079	77	4'	103	01	1	127	43	RCL	151	14	D	175	46	LBL	199	00	0
008	49	PRD	032	08	8	056	75	-	080	01	1	104	46	LBL	128	00	0	152	47	CMS	176	18	C'	200	04	4
009	00	0	033	95	=	057	93	-	081	44	SUM	105	16	A'	129	01	1	153	42	STD	177	47	CMS	201	65	×
010	02	2	034	45	YX	058	05	5	082	00	0	106	25	CLR	130	94	+/-	154	00	0	178	42	STD	202	01	1
011	56	RTN	035	59	π	059	95	=	083	04	4	107	43	RCL	131	81	HLT	155	00	0	179	09	9	203	00	0
012	90	IFZ	036	95	=	060	52	EE	084	19	D'	108	00	0	132	46	LBL	156	08	8	180	08	8	204	00	0
013	00	0	037	75	-	061	22	INV	085	42	STD	109	01	1	133	12	B	157	41	GTO	181	01	1	205	95	=
014	02	2	038	53	<	062	52	EE	086	00	0	110	56	RTN	134	47	CMS	158	88	2'	182	02	2	206	57	FIX
015	00	0	039	57	FIX	063	57	FIX	087	01	1	111	46	LBL	135	42	STD	159	46	LBL	183	42	STD	207	01	1
016	49	PRD	040	00	0	064	02	2	088	42	STD	112	11	R	136	00	0	160	15	E	184	09	9	208	81	HLT
017	00	0	041	75	-	065	56	RTN	089	00	0	113	75	-	137	00	0	161	47	CMS	185	09	9			
018	01	1	042	93	.	066	46	LBL	090	02	2	114	43	RCL	138	25	CLR	162	42	STD	186	56	RTN			
019	56	RTN	043	05	5	067	88	2'	091	19	D'	115	00	0	139	41	GTO	163	00	0	187	46	LBL			
020	19	D'	044	54)	068	42	STD	092	36	IND	116	02	2	140	88	2'	164	00	0	188	77	4'			
021	41	GTO	045	52	EE	069	00	0	093	51	SBR	117	95	=	141	46	LBL	165	01	1	189	43	RCL			
022	00	0	046	22	INV	070	03	3	094	00	0	118	90	IFZ	142	13	C	166	02	2	190	00	0			
023	01	1	047	52	EE	071	01	1	095	03	3	119	89	3'	143	47	CMS	167	41	GTO	191	04	4			

DESCRIPTION (TI-59): The TI-59 generates 10 math problems in the format XX.YY (where XX is the first number and YY is the second number to be operated on). The skill level and operation to be performed are user specified. User is given three chances to answer each problem correctly. If three incorrect answers are given, the TI-59 displays the correct answer. All answers are positive integers.

EXAMPLE (TI-59): Generate addition problems on skill level 3. Initialize using seed 5555.

Enter	Press	Display	Comments
	C	3.	Skill level 3
	A	1.	Addition
5555	E'	36.30	Enter seed, first problem
66	R/S	38.19	Correct, next problem
57	R/S	9.11	Correct, next problem
20	R/S	38.24	Correct, next problem
62	R/S	3.15	Correct, next problem
18	R/S	50.19	Correct, next problem
69	R/S	25.14	Correct, next problem
39	R/S	17.26	Correct, next problem
33	R/S	(.222222222)	Incorrect (flashing)
		17.26	Try again
43	R/S	34.46	Correct, next problem
70	R/S	(.222222222)	Incorrect (flashing)
		34.46	Try again
80	R/S	24.30	Correct, next problem
54	R/S	10.	All 10 correct

USER INSTRUCTIONS (TI-59)

1. Enter program (partition 479.59).
2. Choose skill level. This skill level determines the upper and lower limit of the numbers to be generated. Press A' (skill level #1) for numbers between 0 and 13; B' (skill level #2) for numbers between 0 and 26; C' (skill level #3) for numbers between 0 and 51; or D' (skill level #4) for numbers between 0 and 100.
3. Choose the operation to be performed. Press A for addition, B for subtraction, C for division, or D for multiplication.
4. Enter a seed number, 0 to 199017, press E'. Two numbers will be displayed in the format XX.YY (where XX is the first number and YY is the second number to be operated on).
5. Enter answer and press R/S.
6. If answer is correct, new pair of numbers is generated. Repeat Step 5.
7. If answer is incorrect, one of the following occurs: .222222222 flashes, followed by the problem re-displayed, indicating 2 remaining tries left; .111111111 flashes, followed by the problem re-displayed, indicating 1 remaining try left; correct answer flashes, indicating no remaining tries left (press R/S for new problem). Repeat Step 5.
8. After the 10th problem, the number of problems answered correctly within three tries is displayed. Press E to begin new set of problems.

NOTE: Skill level or operation may be changed at any time, however a new set of problems must be generated after the change. A new seed is not necessary.

TI-59 LISTING

000	86	STF	039	08	08	078	76	LBL	117	76	LBL	156	06	06	195	10	10	234	02	02	273	00	00	312	09	9
001	40	IND	040	65	*	079	60	DEG	118	45	YX	157	32	X:T	196	32	X:T	235	61	GTO	274	02	2	313	09	9
002	07	07	041	05	5	080	92	RTN	119	43	RCL	158	43	RCL	197	43	RCL	236	25	CLR	275	06	6	314	00	0
003	22	INV	042	22	INV	081	76	LBL	120	05	05	159	05	05	198	11	11	237	76	LBL	276	42	STO	315	01	1
004	58	FIX	043	28	LDG	082	15	E	121	55	+	160	87	IFF	199	22	INV	238	43	RCL	277	01	01	316	07	7
005	43	RCL	044	95	=	083	58	FIX	122	43	RCL	161	01	01	200	67	EQ	239	03	3	278	02	2	317	42	STO
006	07	07	045	59	INT	084	02	02	123	06	06	162	23	LNX	201	33	X²	240	42	STO	279	92	RTN	318	08	08
007	92	RTN	046	55	+	085	00	0	124	95	=	163	87	IFF	202	03	3	241	03	03	280	76	LBL	319	61	GTO
008	76	LBL	047	05	5	086	42	STO	125	42	STO	164	02	02	203	42	STO	242	00	0	281	18	C'	320	15	E
009	88	DMS	048	22	INV	087	04	04	126	10	10	165	24	CE	204	03	03	243	35	1/X	282	22	INV	321	76	LBL
010	02	2	049	28	LDG	088	01	1	127	22	INV	166	87	IFF	205	69	DP	244	22	INV	283	58	FIX	322	11	A
011	04	4	050	65	X	089	00	0	128	59	INT	167	03	03	206	24	24	245	58	FIX	284	00	0	323	01	1
012	02	2	051	53	<	090	42	STO	129	29	CP	168	32	X:T	207	76	LBL	246	43	RCL	285	42	STO	324	42	STO
013	09	9	052	43	RCL	091	02	02	130	67	EQ	169	65	*	208	70	RAD	247	10	10	286	00	00	325	07	07
014	08	8	053	01	01	092	03	3	131	25	CLR	170	32	X:T	209	97	DSZ	248	91	R/S	287	05	5	326	81	RST
015	65	*	054	75	-	093	42	STO	132	69	DP	171	95	=	210	02	02	249	25	CLR	288	01	1	327	76	LBL
016	43	RCL	055	43	RCL	094	03	03	133	36	36	172	61	GTO	211	34	FX	250	58	FIX	289	42	STO	328	12	B
017	09	09	056	00	00	095	76	LBL	134	61	GTO	173	35	1/X	212	22	INV	251	02	02	290	01	01	329	02	2
018	85	+	057	54	>	096	34	FX	135	45	YX	174	76	LBL	213	58	FIX	252	61	GTO	291	03	3	330	42	STO
019	09	9	058	85	+	097	71	SBR	136	76	LBL	175	23	LNX	214	43	RCL	253	70	RAD	292	92	RTN	331	07	07
020	09	9	059	43	RCL	098	88	DMS	137	61	GTO	176	85	+	215	04	04	254	76	LBL	293	76	LBL	332	81	RST
021	09	9	060	00	00	099	42	STO	138	71	SBR	177	32	X:T	216	92	RTN	255	16	A'	294	19	D'	333	76	LBL
022	09	9	061	95	=	100	05	05	139	52	EE	178	95	=	217	76	LBL	256	22	INV	295	22	INV	334	13	C
023	01	1	062	59	INT	101	71	SBR	140	76	LBL	179	61	GTO	218	33	X²	257	58	FIX	296	58	FIX	335	03	3
024	95	=	063	92	RTN	102	88	DMS	141	25	CLR	180	35	1/X	219	22	INV	258	00	0	297	00	0	336	42	STO
025	55	+	064	76	LBL	103	42	STO	142	43	RCL	181	76	LBL	220	97	DSZ	259	42	STO	298	42	STO	337	07	07
026	43	RCL	065	52	EE	104	06	06	143	06	06	182	24	CE	221	03	03	260	00	00	299	00	00	338	81	RST
027	08	08	066	43	RCL	105	87	IFF	144	55	+	183	75	-	222	43	RCL	261	01	1	300	01	1	339	76	LBL
028	95	=	067	05	05	106	02	02	145	01	1	184	32	X:T	223	22	INV	262	03	3	301	00	0	340	14	D
029	22	INV	068	32	X:T	107	61	GTO	146	00	0	185	95	=	224	58	FIX	263	42	STO	302	00	0	341	04	4
030	59	INT	069	43	RCL	108	87	IFF	147	00	0	186	61	GTO	225	09	9	264	01	01	303	42	STO	342	42	STO
031	65	X	070	06	06	109	03	03	148	85	+	187	35	1/X	226	35	1/X	265	01	1	304	01	01	343	07	07
032	43	RCL	071	22	INV	110	55	+	149	43	RCL	188	76	LBL	227	65	*	266	92	RTN	305	04	4	344	81	RST
033	08	08	072	77	GE	111	61	GTO	150	05	05	189	32	X:T	228	43	RCL	267	76	LBL	306	92	RTN			
034	95	=	073	60	DEG	112	25	CLR	151	95	=	190	43	RCL	229	03	03	268	17	B'	307	76	LBL			
035	42	STO	074	48	EXC	113	76	LBL	152	91	R/S	191	10	10	230	95	=	269	22	INV	308	10	E'			
036	09	09	075	05	05	114	55	+	153	42	STO	192	76	LBL	231	66	PAU	270	58	FIX	309	42	STO			
037	55	+	076	42	STO	115	71	SBR	154	11	11	193	35	1/X	232	66	PAU	271	00	0	310	09	09			
038	43	RCL	077	06	06	116	52	EE	155	43	RCL	194	42	STO	233	58	FIX	272	42	STO	311	01	1			